## Safety Data Sheet

Issue Date: 03-Nov-2022

Revision Date: 03-Nov-2022

Version 1

#### **1. IDENTIFICATION**

Aqua-X Grout Sealer

Other means of identification SDS #

Recommended use of the chemical and restrictions on useRecommended UsePenetrating sealer for grout.

BDC-030

## Details of the supplier of the safety data sheet

Supplier Address Black Diamond Coatings 6063 Nature Coast Blvd Brooksville, FL 34602 info@blackdiamondcoatings.com

#### Emergency telephone number

Company Phone Number Emergency Telephone 800-270-4050 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

Appearance Milky white liquid

Physical state Liquid

2. HAZARDS IDENTIFICATION

Odor mild

### **Classification**

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 2

#### Signal Word Danger

#### Hazard statements

Harmful if inhaled Causes severe skin burns and eye damage Suspected of damaging fertility or the unborn child



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

#### Precautionary Statements - Response

Immediately call a poison center or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Silicon dioxide	7631-86-9	10-15
2-Amino-2-methyl-1-propanol	124-68-5	1-5
Octamethylcyclotetrasiloxane	556-67-2	0.1-1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST AID MEASURES

#### Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Harmful if inhaled. Causes severe skin burns and eye damage. Suspected of damaging fertility or the unborn child.		
Indication of any immediate medical attention and special treatment needed			
Notes to Physician	Treat symptomatically.		

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containm	ient and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Clean-Up	Keep in suitable, closed containers for disposal.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.			
Conditions for safe storage, including any incompatibilities				
conditions for sale storage, includ	ing any incompatibilities			
Storage Conditions	l <mark>ing any incompatibilities</mark> Store locked up.			

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silicon dioxide 7631-86-9	-	TWA: 50 µg/m <sup>3</sup> excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Milky white liquid Milky white	Odor Odor Threshold	mild Not determined
<u>Property</u> pH Melting point / freezing point Initial boiling point and boiling	<u>Values</u> 10.5-11.5 0°C / 32°F 100°C / 212°F	<u>Remarks • Method</u>	
range Flash point Evaporation Rate Flammability (Solid, Gas)	No data available Not determined Liquid-Not applicable		
Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	No data available No data available		
limits Vapor Pressure Vapor Density Relative Density	Not determined No data available 1.02		
Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature	100% Not determined Not determined No data available		
Hyphen Kinematic viscosity Dynamic Viscosity	Not determined 14-15 Not determined Not determined		
Explosive Properties Oxidizing Properties	Not determined		

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

## Conditions to Avoid

Keep out of reach of children.

#### Incompatible materials

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	Do not ingest.

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silicon dioxide 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
2-Amino-2-methyl-1-propanol 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Octamethylcyclotetrasiloxane 556-67-2	= 1540 mg/kg (Rat)	> 2375 mg/kg (Rat)	= 36 mg/L (Rat)4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/eye irritation	Causes severe eye damage.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide		Group 3	Known	Х
7631-86-9				

#### Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

NTP (National Toxicology Program)

#### Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	53,133.70 mg/kg
Dermal LD50	34,231.90 mg/kg
ATEmix (inhalation-dust/mist)	4.71 mg/l

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### **Component Information**

Chemical name	Chemical name Algae/aquatic plants Fish		Crustacea
Silicon dioxide	Silicon dioxide EC50: =440mg/L (72h, LC5		EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	Brachydanio rerio)	Ceriodaphnia dubia)
2-Amino-2-methyl-1-propanol	EC50: =520mg/L (72h,	LC50: =190mg/L (96h, Lepomis	EC50: =193mg/L (48h, Daphnia
124-68-5	Desmodesmus subspicatus)	macrochirus)	magna)
Octamethylcyclotetrasiloxane		LC50: >500mg/L (96h, Brachydanio	
556-67-2		rerio)	
		LC50: >1000mg/L (96h, Lepomis	
		macrochirus)	

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Chemical name	Partition coefficient
2-Amino-2-methyl-1-propanol 124-68-5	-0.63
Octamethylcyclotetrasiloxane 556-67-2	6.488

### Other adverse effects

Not determined

## **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
IATA_	Not regulated
IMDG	Not regulated

## **15. REGULATORY INFORMATION**

#### International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Silicon dioxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
2-Amino-2-methyl-1- propanol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Octamethylcyclotetrasiloxan e	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Silicon dioxide - 7631-86-9	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silicon dioxide 7631-86-9		X	Х
2-Amino-2-methyl-1-propanol 124-68-5	Х	X	Х

16. OTHER INFORMATION					
<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards	
<u>HMIS</u>	- Health hazards	- Flammability	- Physical hazards	- Personal Protection	
	-	-	-	Not determined	
Issue Date:	03-Nov-	2022			
Revision Date:	03-Nov-2022				
Revision Note:	New format				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**